

Citrus Application Rates: Metric



CropBioLife is a plant foliar spray that greatly increases nutrient uptake.

CropBioLife is a 100% natural, flavonoid-based foliar spray, crafted from bitter-orange extract.

By enhancing nutrient uptake, plants unlock their full potential, supporting everything from boosted metabolism to stronger root exudates and higher yields—results of optimised nutrition.









A healthier citrus crop can achieve:


- Improved yield and fruit set
- More consistent ripening
- Improved pack out
- Improved flavour
- Increased BRIX
- Improved photosynthesis
- Healthier crop = better resistance to pests.

- Improved root health
- Improved soil biology
- Improved resistance to UV-B stress
- Improved overall health of the plant
- Reduction in drought stress.

Documented experiences:


The graphs on the right indicates experiences that were achieved using CropBioLife on Midnight Valencia oranges. Additional experiences are available on request.

*Experiences may vary. 'Documented experiences' refers to independent laboratory testing and observation that was completed following the harvest with our customers.



Control

CropBioLife



Spray Application

The following table shows the spray rates and timing that should be used to achieve best results.

Timing	Concentration in water (per 100 litres)	*Can be mixed with fungicide or foliage nutrient sprays as required. You may spray at 200mL per 100L where "rejuvenation" work is required or the tree is under stress.
1st Application – 80 -100% petal drop. The timing of this (first) application is critical to ensure best results.	- 550ml per Hectare*	For trees in sub tropical climates that undergo multiple periods of blooming, commence spraying at any time, with a focus on a minimum 2 -3 sprays during fruit color change.
2nd Application - 28 days later		
3rd application – 28 days after 2nd application		

